



STAR COMISO**ENEPA 1T (A discrezione ATC)**

ENEPA - TR 147° (RDL 327 COM VOR) - COM VOR/DME.

ENEPA 1T (ATC discretion)

ENEPA - TR 147° (RDL 327 COM VOR) - COM VOR/DME.

MEA: ENEPA – RDL 327/25NM COM VOR/DME: 6000FT; RDL327/25NM COM VOR/DME - COM VOR/DME: 5000FT

LIBRO 1T

LIBRO - TR 169° (RDL 349 COM VOR) - COM VOR/DME.

LIBRO 1T

LIBRO - TR 169° (RDL 349 COM VOR) - COM VOR/DME.

MEA: LIBRO - COM VOR/DME: 5000FT

NELDA 1T

NELDA - TR 051°(RDL 231 COM VOR) - COM VOR/DME.

NELDA 1T

NELDA - TR 051°(RDL 231 COM VOR) - COM VOR/DME.

MEA: NELDA - COM VOR/DME: 5000FT

NOTRI 1T

NOTRI – TR 210° (RDL 030 COM VOR) - COM VOR/DME.

NOTRI 1T

NOTRI – TR 210° (RDL 030 COM VOR) - COM VOR/DME.

MEA: NOTRI – RDL 030/25NM COM VOR/DME: 7000FT; RDL 030/25NM COM VOR/DME - COM VOR/DME: 5000FT

Intenzionalmente bianca

Intentionally left blank